


FRAME GEOMETRIES



- A** Seat tube (centre to centre)
- B** Seat tube (centre to top)
- C** Top tube (measured horizontally)
- D** Seat tube angle
- E** Head tube angle
- F** Head tube length
- G** Chainstay length
- H** Bottom bracket height

All measurements are in centimetres

PERFORMANCE ROAD

Acciaio

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	50.7	51.8	54.4	57.7	60.8	63.7	65.6
Reach	37.7	36.9	38.1	38.4	38.4	37.9	38.3

Classico Road, Classico Stainless

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8.5	11	13.5	15.5	18.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	-	70	70	70	70	70	-
Stack	-	48.5	51	53.7	55.7	58.5	-
Reach	-	38.5	38.3	38.1	40.6	40.2	-

Italia RC, Leggero®, Leggero® SL, Leggero® Disc, Leggero® SL Disc, Potenza, Super Acciaio, Super Acciaio Disc

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	50.6	51.7	53.3	56.6	59.7	62.3	-
Reach	37.7	37	38.4	38.7	38.7	38.5	-

PERFORMANCE ROAD (CONT.)

Paris® Road

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	7.5	9	11	14	16.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	-	70	70	70	70	70	-
Stack	-	47.6	49.1	51.4	54.2	56.6	-
Reach	-	38.8	38.8	38.8	39.4	40.2	-

Paris® Galibier

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	74	73	72	72	72	-
Head tube angle [E]	-	69	70	70	72	72	-
Head tube length [F]	-	7.5	9	11	14	16.5	-
Chainstay length [G]	-	44.5	44.5	44.5	44.5	44.5	-
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5	-
Stack	-	46.8	48.5	50.4	53.9	56.3	-
Reach	-	38.1	37.2	37.1	38	39.2	-

Piccolo

	42
Seat tube (centre to centre) [A]	38
Seat tube (centre to top) [B]	42
Top tube (horizontal) [C]	47
Seat tube angle [D]	74
Head tube angle [E]	75
Head tube length [F]	11
Chainstay length [G]	36.5
Bottom bracket height [H]	29.5
Stack	48.3
Reach	33.2

ENDURANCE ROAD

Baracchi, Baracchi Disc

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	50.7	51.8	54.4	57.7	60.8	63.7	65.6
Reach	37.7	36.9	38.1	38.4	38.4	37.9	38.3

Fratello®, Fratello® Disc, Fratello® Disc Thru-Axle

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	73.5
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	43.5
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	51.8	52.9	55.4	58.8	61.7	64.6	66.5
Reach	37.4	36.6	37.8	38.1	38.1	37.6	38

Italia, Italia Step Thru

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73.5	73.5	-
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	-
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	-
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	51.8	52.9	55.4	58.8	61.7	64.6	-
Reach	37.4	36.6	37.8	38.1	38.1	37.6	-

GRAVEL, ADVENTURE & TOURING

Heritage, Heritage Disc

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	74	73.5	73	73	73	72.5	72.5
Head tube angle [E]	71.5	71.5	71.5	71.5	71.5	71.5	71.5
Head tube length [F]	10	10.5	12.5	15.5	18.5	21.5	23.5
Chainstay length [G]	44.5	44.5	44.5	44.5	44.5	45	45
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	52.5	53	54.9	57.8	60.6	63.4	65.3
Reach	36.2	36.1	36.9	37.8	38.5	38	38.4

Heritage 26"

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	74	73.5	73	73	73	72.5	-
Head tube angle [E]	71.5	71.5	71.5	71.5	71.5	71.5	-
Head tube length [F]	10	10.5	12.5	15.5	18.5	21.5	-
Chainstay length [G]	42.5	42.5	42.5	42.5	42.5	42.5	-
Bottom bracket height [H]	29.5	29.5	29.5	29.5	29.5	29.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	52.5	53	54.9	57.8	60.6	63.4	-
Reach	36.2	36.1	36.9	37.8	38.5	38	-

Terra-X

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	49.5	51	52.5	54.5	56	58	-
Seat tube angle [D]	75	74.5	74	73.5	73.5	73	-
Head tube angle [E]	71	71	71	72	72.5	73	-
Head tube length [F]	10	11	12	14	16	19	-
Chainstay length [G]	42.5	42.5	42.5	42.5	42.5	42.5	-
Bottom bracket height [H]	29	29	29	29	29	29	-
Bottom bracket drop	57	57	57	57	57	57	-
Stack	51.3	51.6	52.5	55.4	56.8	59.9	-
Reach	35.8	36.7	37.4	38.1	39.2	39.7	-

GRAVEL, ADVENTURE & TOURING (CONT.)

Bivio

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	74	73.5	73	73	73	72.5	-
Head tube angle [E]	71	71	72	72.5	72.5	73	-
Head tube length [F]	10.5	11	12	15	18	21	-
Chainstay length [G]	43	43	43	43	43	43.5	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	60	60	60	60	60	60	-
Stack	52.5	52.9	54.2	57.3	60.1	63.2	-
Reach	36.3	36.1	37.1	38	38.6	38.1	-

Bivio Gravel, Bivio Odyssey

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	74	73.5	73	73	73	72.5	-
Head tube angle [E]	71	71	72	72.5	72.5	73	-
Head tube length [F]	9	9.5	10.5	13.5	16.5	19.5	-
Chainstay length [G]	43	43	43	43	43	43.5	-
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	51.6	52.1	53.4	56.4	59.3	62.3	-
Reach	36.5	36.4	37.4	38.1	39.2	39.7	-

SINGLE SPEED & TRACK

Classico Pista, Classico Pista 70th

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8.5	11	13.5	15.5	18.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	27	27	27	27	27	-
Bottom bracket drop	-	60	60	60	60	60	-
Stack	-	47.5	50.4	52.7	54.7	57.5	-
Reach	-	38.8	37.5	37.9	39.3	39.9	-

Lavoro

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	41	44	47	50	53	56	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	72	72	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	41	41	41	41	41	41	-
Bottom bracket height [H]	28.5	28.5	28.5	28.5	28.5	28.5	-
Bottom bracket drop	50	50	50	50	50	50	-
Stack	48	48.9	50.4	53.7	56.6	59.4	-
Reach	38.4	37.8	39.3	39.6	39.7	39.3	-

Paris® Path

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	-	47	50	53	56	59	-
Seat tube (centre to top) [B]	-	49	52	55	58	61	-
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5	-
Seat tube angle [D]	-	75	75	74	73.5	73	-
Head tube angle [E]	-	71.5	72	73	73	73	-
Head tube length [F]	-	8	9.5	12	14.5	17.5	-
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	-	27	27	27	27	27	-
Bottom bracket drop	-	70	70	70	70	70	-
Stack	-	47.1	48.7	51.4	53.8	56.7	-
Reach	-	38.9	39	38.3	39.6	40.2	-

SINGLE SPEED & TRACK (CONT.)

Pista

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	27	27	27	27	27	27	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	50.7	51.8	53.4	56.8	59.8	62.4	-
Reach	37.7	36.9	38.4	38.7	38.7	38.5	-

Tempo

	46	49	52	55	58	61	64
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	41
Bottom bracket height [H]	27	27	27	27	27	27	27
Bottom bracket drop	70	70	70	70	70	70	70
Stack	51.8	52.9	55.4	58.8	61.7	64.6	66.5
Reach	37.4	36.6	37.8	38.1	38.1	37.6	38