


# FRAME GEOMETRIES



- A** Seat tube (centre to centre)
- B** Seat tube (centre to top)
- C** Top tube (measured horizontally)
- D** Seat tube angle
- E** Head tube angle
- F** Head tube length
- G** Chainstay length
- H** Bottom bracket height

All measurements are in centimetres

# PERFORMANCE ROAD

## Classico Road, Classico Stainless

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	-	47	50	53	56	59
Seat tube (centre to top) [B]	-	49	52	55	58	61
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5
Seat tube angle [D]	-	75	75	74	73.5	73
Head tube angle [E]	-	71.5	72	73	73	73
Head tube length [F]	-	8.5	11	13.5	15.5	18.5
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	-	70	70	70	70	70
Stack	-	48.5	51	53.7	55.7	58.5
Reach	-	38.5	38.3	38.1	40.6	40.2

## Italia RC, Italia RC Disc, Leggero®, Leggero® Disc, Leggero® SL, Leggero® SL Disc, Potenza, Super Acciaio, Super Acciaio Disc

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	41	44	47	50	53	56
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	75	74	74	73.5	73	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74
Head tube length [F]	11	12	13.5	16.5	19.5	22.2
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70
Stack	50.6	51.7	53.3	56.6	59.7	62.3
Reach	37.7	37	38.4	38.7	38.7	38.5
Fork offset (all disc frames)	4.3	4.3	4.3	4.3	4.3	4.3
Fork length (all disc frames)	37.0	37.0	37.0	37.0	37.0	37.0
Fork offset (Leggero, Super Acciaio)	4.3	4.3	4.3	4.3	4.3	4.3
Fork length (Leggero, Super Acciaio)	36.5	36.5	36.5	36.5	36.5	36.5
Fork offset (Potenza Italia RC)	4.5	4.5	4.5	4.5	4.5	4.5
Fork Length (Potenza, Italia RC)	36.8	36.8	36.8	36.8	36.8	35.8

# PERFORMANCE ROAD (CONT.)

## Paris® Road

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	-	47	50	53	56	59
Seat tube (centre to top) [B]	-	49	52	55	58	61
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5
Seat tube angle [D]	-	75	75	74	73.5	73
Head tube angle [E]	-	71.5	72	73	73	73
Head tube length [F]	-	7.5	9	11	14	16.5
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	-	70	70	70	70	70
Stack	-	47.6	49.1	51.4	54.2	56.6
Reach	-	38.8	38.8	38.8	39.4	40.2

## Paris® Galibier

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	-	47	50	53	56	59
Seat tube (centre to top) [B]	-	49	52	55	58	61
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5
Seat tube angle [D]	-	74	73	72	72	72
Head tube angle [E]	-	69	70	70	72	72
Head tube length [F]	-	7.5	9	11	14	16.5
Chainstay length [G]	-	44.5	44.5	44.5	44.5	44.5
Bottom bracket height [H]	-	26.5	26.5	26.5	26.5	26.5
Stack	-	46.8	48.5	50.4	53.9	56.3
Reach	-	38.1	37.2	37.1	38	39.2

## Piccolo

	<b>42</b>
Seat tube (centre to centre) [A]	38
Seat tube (centre to top) [B]	42
Top tube (horizontal) [C]	47
Seat tube angle [D]	74
Head tube angle [E]	75
Head tube length [F]	11
Chainstay length [G]	36.5
Bottom bracket height [H]	29.5
Stack	48.3
Reach	33.2

# ENDURANCE ROAD

## Acciaio

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>	<b>64</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	50.7	51.8	54.4	57.7	60.8	63.7	65.6
Reach	37.7	36.9	38.1	38.4	38.4	37.9	38.3
Fork offset	4.5	4.5	4.5	4.5	4.5	4.5	4.5
Fork length	36.7	36.7	36.7	36.7	36.7	36.7	36.7

## Baracchi Disc

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	75	74	74	73.5	73	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70
Stack	50.7	51.8	54.4	57.7	60.8	63.7
Reach	37.7	36.9	38.1	38.4	38.4	37.9
Fork offset	4.3	4.3	4.3	4.3	4.3	4.3
Fork length	37.0	37.0	37.0	37.0	37.0	37.0

# ENDURANCE ROAD (CONT.)

## Fratello®, Fratello® Disc, Fratello® Disc Thru-Axle

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>	<b>64</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5	73.5
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	43.5
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	51.8	52.9	55.4	58.8	61.7	64.6	66.5
Reach	37.4	36.6	37.8	38.1	38.1	37.6	38
Fork offset	4.5	4.5	4.5	4.5	4.5	4.5	4.5
Fork length	37.8	37.8	37.8	37.8	37.8	37.8	37.8

## Italia, Italia Step Thru

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	41	44	47	50	53	56
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	75	74	74	73.5	73.5	73.5
Head tube angle [E]	71	71.5	72	73.5	73.5	73.5
Head tube length [F]	11	12	14.5	17.5	20.5	23.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70
Stack	51.8	52.9	55.4	58.8	61.7	64.6
Reach	37.4	36.6	37.8	38.1	38.1	37.6
Fork offset	37.8	37.8	37.8	37.8	37.8	37.8
Fork length	4.5	4.5	4.5	4.5	4.5	4.5

# GRAVEL, ADVENTURE & TOURING

## Heritage, Heritage Disc

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>	<b>64</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	74	73.5	73	73	73	72.5	72.5
Head tube angle [E]	71.5	71.5	71.5	71.5	71.5	71.5	71.5
Head tube length [F]	10	10.5	12.5	15.5	18.5	21.5	23.5
Chainstay length [G]	44.5	44.5	44.5	44.5	44.5	45	45
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70	70
Stack	52.5	53	54.9	57.8	60.6	63.4	65.3
Reach	36.2	36.1	36.9	37.8	38.5	38	38.4
Fork offset	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Fork length	39.5	39.5	39.5	39.5	39.5	39.5	39.5

## Bivio Gravel, Bivio Gravel Thru-Axle, Bivio Odyssey

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	41	44	47	50	53	56
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	74	73.5	73	73	73	72.5
Head tube angle [E]	71	71	72	72.5	72.5	73
Head tube length [F]	9	9.5	10.5	13.5	16.5	19.5
Chainstay length [G]	43	43	43	43	43	43.5
Bottom bracket height [H]	26.5	26.5	26.5	26.5	26.5	26.5
Bottom bracket drop	70	70	70	70	70	70
Stack	51.6	52.1	53.4	56.4	59.3	62.3
Reach	36.5	36.4	37.4	38.1	39.2	39.7
Fork offset	5.0	5.0	5.0	5.0	5.0	5.0
Fork length	39.8	39.8	39.8	39.8	39.8	39.8

# GRAVEL, ADVENTURE & TOURING (CONT.)

## Terra-X

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	41	44	47	50	53	56
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	49.5	51	52.5	54.5	56	58
Seat tube angle [D]	75	74.5	74	73.5	73.5	73
Head tube angle [E]	71	71	71	72	72.5	73
Head tube length [F]	10	11	12	14	16	19
Chainstay length [G]	42.5	42.5	42.5	42.5	42.5	42.5
Bottom bracket height [H]	29	29	29	29	29	29
Bottom bracket drop	57	57	57	57	57	57
Stack	51.3	51.6	52.5	55.4	56.8	59.9
Reach	35.8	36.7	37.4	38.1	39.2	39.7
Fork offset	4.5	4.5	4.5	4.5	4.5	4.5
Fork length	39.74	39.74	39.74	39.74	39.74	39.74

## Heritage 26"

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	74	73.5	73	73	73	72.5
Head tube angle [E]	71.5	71.5	71.5	71.5	71.5	71.5
Head tube length [F]	10	10.5	12.5	15.5	18.5	21.5
Chainstay length [G]	42.5	42.5	42.5	42.5	42.5	42.5
Bottom bracket height [H]	29.5	29.5	29.5	29.5	29.5	29.5
Bottom bracket drop	70	70	70	70	70	70
Stack	52.5	53	54.9	57.8	60.6	63.4
Reach	36.2	36.1	36.9	37.8	38.5	38

# SINGLE SPEED & TRACK

## Classico Pista, Classico Pista 70th

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	-	47	50	53	56	59
Seat tube (centre to top) [B]	-	49	52	55	58	61
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5
Seat tube angle [D]	-	75	75	74	73.5	73
Head tube angle [E]	-	71.5	72	73	73	73
Head tube length [F]	-	8.5	11	13.5	15.5	18.5
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	-	27	27	27	27	27
Bottom bracket drop	-	60	60	60	60	60
Stack	-	47.5	50.4	52.7	54.7	57.5
Reach	-	38.8	37.5	37.9	39.3	39.9

## Lavoro

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	41	44	47	50	53	56
Seat tube (centre to top) [B]	46	49	52	55	58	61
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58
Seat tube angle [D]	75	74	74	73.5	73	72.5
Head tube angle [E]	72	72	72	73.5	74	74
Head tube length [F]	11	12	13.5	16.5	19.5	22.2
Chainstay length [G]	41	41	41	41	41	41
Bottom bracket height [H]	28.5	28.5	28.5	28.5	28.5	28.5
Bottom bracket drop	50	50	50	50	50	50
Stack	48	48.9	50.4	53.7	56.6	59.4
Reach	38.4	37.8	39.3	39.6	39.7	39.3
Fork offset	3.2	3.2	3.2	3.2	3.2	3.2
Fork length	35.5	35.5	35.5	35.5	35.5	35.5

## Paris® Path

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>
Seat tube (centre to centre) [A]	-	47	50	53	56	59
Seat tube (centre to top) [B]	-	49	52	55	58	61
Top tube (horizontal) [C]	-	51.5	52	53.5	55.5	57.5
Seat tube angle [D]	-	75	75	74	73.5	73
Head tube angle [E]	-	71.5	72	73	73	73
Head tube length [F]	-	8	9.5	12	14.5	17.5
Chainstay length [G]	-	40.5	40.5	40.5	40.8	41
Bottom bracket height [H]	-	27	27	27	27	27
Bottom bracket drop	-	70	70	70	70	70
Stack	-	47.1	48.7	51.4	53.8	56.7
Reach	-	38.9	39	38.3	39.6	40.2



# SINGLE SPEED & TRACK (CONT.)

## Pista

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>	<b>64</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57	-
Seat tube (centre to top) [B]	46	49	52	55	58	61	-
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	-
Seat tube angle [D]	75	74	74	73.5	73	72.5	-
Head tube angle [E]	71	71.5	72	73.5	74	74	-
Head tube length [F]	11	12	13.5	16.5	19.5	22.2	-
Chainstay length [G]	40.5	40.5	40.5	40.5	40.8	41	-
Bottom bracket height [H]	27	27	27	27	27	27	-
Bottom bracket drop	70	70	70	70	70	70	-
Stack	50.7	51.8	53.4	56.8	59.8	62.4	-
Reach	37.7	36.9	38.4	38.7	38.7	38.5	-
Fork offset	4.5	4.5	4.5	4.5	4.5	4.5	-
Fork length	36.7	36.7	36.7	36.7	36.7	36.7	-

## Tempo

	<b>46</b>	<b>49</b>	<b>52</b>	<b>55</b>	<b>58</b>	<b>61</b>	<b>64</b>
Seat tube (centre to centre) [A]	42	45	48	51	54	57	60
Seat tube (centre to top) [B]	46	49	52	55	58	61	64
Top tube (horizontal) [C]	51.3	51.8	53.7	55.5	57	58	59
Seat tube angle [D]	75	74	74	73.5	73	72.5	72.5
Head tube angle [E]	71	71.5	72	73.5	74	74	74
Head tube length [F]	11	12	14.5	17.5	20.5	23.5	25.5
Chainstay length [G]	42.5	42.5	42.5	42.5	43	43	41
Bottom bracket height [H]	27	27	27	27	27	27	27
Bottom bracket drop	70	70	70	70	70	70	70
Stack	51.8	52.9	55.4	58.8	61.7	64.6	66.5
Reach	37.4	36.6	37.8	38.1	38.1	37.6	38
Fork offset	4.5	4.5	4.5	4.5	4.5	4.5	4.5
Fork length	37.8	37.8	37.8	37.8	37.8	37.8	37.8